

L Number	Hits	Search Text	DB	Time stamp
1	2	20020099475.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 11:50
2	2	20020099475.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 11:35
3	2	6791098.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 11:53
4	2	6404107.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 11:39
5	2	6069433.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 11:39
6	2	6420819.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 11:40
7	7	6791098.pn. or 6404107.pn. or 6069433.pn. or 6420819.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 11:40
8	11779	700/13,14,19,28-39,49-60,71,72,95-125,186,187,192,193,245-254,258,259	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 11:44
9	3325	((ss or statespace or (state near2 space) or state-space) with (model\$4 or simulat\$5 or design\$5 or CAD or CAD/CAM or (computer near2 aided) or emulat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 12:12
12	141363	(motion\$5 or mov\$7 or vibrat\$5 or position\$3 or elastic) with (strain\$3 or stress\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 12:15
13	523245	(motion\$5 or mov\$7 or vibrat\$5 or position\$4) with (model\$4 or simulat\$5 or design\$5 or CAD or CAD/CAM or (computer near2 aided) or emulat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 12:14
14	70	((ss or statespace or (state near2 space) or state-space) with (model\$4 or simulat\$5 or design\$5 or CAD or CAD/CAM or (computer near2 aided) or emulat\$4)) and ((motion\$5 or mov\$7 or vibrat\$5 or position\$3 or elastic) with (strain\$3 or stress\$3)) and ((motion\$5 or mov\$7 or vibrat\$5 or position\$4) with (model\$4 or simulat\$5 or design\$5 or CAD or CAD/CAM or (computer near2 aided) or emulat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 11:49

15	1	(6791098.pn. or 6404107.pn. or 6069433.pn. or 6420819.pn.) and (((ss or statespace or (state near2 space) or state-space) with (model\$4 or simulat\$5 or design\$5 or CAD or CAD/CAM or (computer near2 aided) or emulat\$4)) and ((motion\$5 or mov\$7 or vibrat\$5 or position\$3 or elastic) with (strain\$3 or stress\$3)) and ((motion\$5 or mov\$7 or vibrat\$5 or position\$4) with (model\$4 or simulat\$5 or design\$5 or CAD or CAD/CAM or (computer near2 aided) or emulat\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 11:51
16	2	20030040818.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 11:50
17	9	20030040818.pn. or (6791098.pn. or 6404107.pn. or 6069433.pn. or 6420819.pn.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 11:50
18	2	(20030040818.pn. or (6791098.pn. or 6404107.pn. or 6069433.pn. or 6420819.pn.)) and (((ss or statespace or (state near2 space) or state-space) with (model\$4 or simulat\$5 or design\$5 or CAD or CAD/CAM or (computer near2 aided) or emulat\$4)) and ((motion\$5 or mov\$7 or vibrat\$5 or position\$3 or elastic) with (strain\$3 or stress\$3)) and ((motion\$5 or mov\$7 or vibrat\$5 or position\$4) with (model\$4 or simulat\$5 or design\$5 or CAD or CAD/CAM or (computer near2 aided) or emulat\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 11:51
19	1	6791098.pn. and (ss or statespace or (state near2 space) or state-space)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 11:54
21	537117	(motion\$5 or mov\$7 or vibrat\$5 or position\$4 or elastic) with (model\$4 or simulat\$5 or design\$5 or CAD or CAD/CAM or (computer near2 aided) or emulat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 12:15
22	73235	(strain\$3 or stress\$3 or induced-strain\$3 or induced-stress\$3 or strain-induc\$4 or stress-induc\$3) with (transduc\$5 or actuat\$5 or sens\$4 or detect\$4 or accelerometer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 12:17
23	6237	(Markov or statespace or (state near2 space) or state-space) with (model\$4 or simulat\$5 or design\$5 or CAD or CAD/CAM or (computer near2 aided) or emulat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 12:16
25	58	(((motion\$5 or mov\$7 or vibrat\$5 or position\$4 or elastic) with (model\$4 or simulat\$5 or design\$5 or CAD or CAD/CAM or (computer near2 aided) or emulat\$4)) and ((strain\$3 or stress\$3 or induced-strain\$3 or induced-stress\$3 or strain-induc\$4 or stress-induc\$3) with (transduc\$5 or actuat\$5 or sens\$4 or detect\$4 or accelerometer)) and ((Markov or statespace or (state near2 space) or state-space) with (model\$4 or simulat\$5 or design\$5 or CAD or CAD/CAM or (computer near2 aided) or emulat\$4))) not (((ss or statespace or (state near2 space) or state-space) with (model\$4 or simulat\$5 or design\$5 or CAD or CAD/CAM or (computer near2 aided) or emulat\$4)) and ((motion\$5 or mov\$7 or vibrat\$5 or position\$3 or elastic) with (strain\$3 or stress\$3)) and ((motion\$5 or mov\$7 or vibrat\$5 or position\$4) with (model\$4 or simulat\$5 or design\$5 or CAD or CAD/CAM or (computer near2 aided) or emulat\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 12:17

24	74	((motion\$5 or mov\$7 or vibrat\$5 or position\$4 or elastic) with (model\$4 or simulat\$5 or design\$5 or CAD or CAD/CAM or (computer near2 aided) or emulat\$4)) and ((strain\$3 or stress\$3 or induced-strain\$3 or induced-stress\$3 or strain-induc\$4 or stress-induc\$3) with (transduc\$5 or actuat\$5 or sens\$4 or detect\$4 or accelerometer)) and ((Markov or statespace or (state near2 space) or state-space) with (model\$4 or simulat\$5 or design\$5 or CAD or CAD/CAM or (computer near2 aided) or emulat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 12:21
26	7	700/13,14,19,28-39,49-60,71,72,95-125,186,187,192,193,245-254,258,259 and (((motion\$5 or mov\$7 or vibrat\$5 or position\$4 or elastic) with (model\$4 or simulat\$5 or design\$5 or CAD or CAD/CAM or (computer near2 aided) or emulat\$4)) and ((strain\$3 or stress\$3 or induced-strain\$3 or induced-stress\$3 or strain-induc\$4 or stress-induc\$3) with (transduc\$5 or actuat\$5 or sens\$4 or detect\$4 or accelerometer)) and ((Markov or statespace or (state near2 space) or state-space) with (model\$4 or simulat\$5 or design\$5 or CAD or CAD/CAM or (computer near2 aided) or emulat\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 12:21
-	2	20040189145, for (computer near2 aided) or emulat\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/18 11:33
-	1	20040189145.pn. and (prior near4 art)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/17 20:06